


FIG.1




Title: APPARATUS AND METHOD
FOR DETECTING TRAFFIC LANE
MARK FOR AUTOMOTIVE VEHICLE

Inventor(s): Hiroshi SATOH et al.

DOCKET NO.: 040679-1415

FIG.2




Title: APPARATUS AND METHOD
FOR DETECTING TRAFFIC LANE
MARK FOR AUTOMOTIVE VEHICLE

Inventor(s): Hiroshi SATOH et al.

DOCKET NO.: 040679-1415

FIG.3



Title: APPARATUS AND METHOD
FOR DETECTING TRAFFIC LANE
MARK FOR AUTOMOTIVE VEHICLE


Inventor(s): Hiroshi SATOH et al.

DOCKET NO.: 040679-1415

FIG.4A


x \ y	-1	0	+1
-1	-1/4	0	1/4
0	-1/2	0	1/2
+1	-1/2	0	1/4

FIG.4B



**COORDINATE POINT ON
PHOTOGRAPHED IMAGE**

FIG.5




Title: APPARATUS AND METHOD
FOR DETECTING TRAFFIC LANE
MARK FOR AUTOMOTIVE VEHICLE

Inventor(s): Hiroshi SATOH et al.

DOCKET NO.: 040679-1415

FIG.6

NOISE DETECTION WINDOW
9, 10, 11, 12, 13, 14, 15, 16,
17, 18, 19, 20, 21, 22, 23, 24



**WHITE LINE
DETECTION WINDOW**
1, 2, 3, 4, 5, 6, 7, 8

FIG.7

y	x		
	-1	0	+1
-1	1/4	1/2	1/4
0	0	0	0
+1	-1/4	-1/2	-1/4

FIG.8

